Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:			(X3) DATE SURVEY COMPLETED	
		005056	B. WING		02/2	6/2015	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE							
DAVIESS COMMUNITY HOSPITAL  1314 E WALNUT ST  WASHINGTON, IN 47501							
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC' (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPR DEFICIENCY)	ORRECTIVE ACTION SHOULD BE COMPLÉTE FERENCED TO THE APPROPRIATE DATE		
S 000	000 INITIAL COMMENTS		S 000				
	This visit was for the i complaint.	nvestigation of a State					
	Complaint #IN00160974 Unsubstantiated: Lack of sufficient evidence.						
	Survey date: February 27, 2015						
	Facility # 005056						
	Surveyor: Trisha Goodwin, RN BSE Public Health Nurse Surveyor						
	Daviess Community Hospital is in compliance with 410 IAC 15-1.5-5; Medical Staff						

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE